PRESENTATION

Orbit 7120 Hands-Free Scanner

Orbit 7120 Hands-Free Scanner

Overview



Orbit™: is the all-time, best-selling hands-free omnidirectional scanner for a reason. Several reasons, actually. Let':s start here: The Orbit 7120 scanner are innovative, elegant and affordable with an award-winning design that':s just the right fit for convenience retail applications where counter space is at a premium.

- The Orbit scanner has an engineered ":sweet spot": to optimize scan performance and first pass read rate.
- Retail operations can protect their POS investment with free firmware updates via MetroSet 2 software and a standard PC.
- A built-in RF EAS antenna (Orbit 7180 scanner only) increases ef ciency by simultaneously deactivating RF EAS tags and decoding barcodes.
- A 20-line scan omnidirectional pattern provides aggressive scanning as an additional benefit to hand presentation applications.
- An adjustable scan head enables users to tilt the scanner 30°: for targeted scanning of larger products.

If you':re a retailer in need of an affordable, yet aggressive omnidirectional scanning solution that':s aesthetically pleasing to boot, the Honeywell Orbit series is tough to beat. Orbit series scanners maximize your customers': satisfaction and employees': efficiency with a patented 20-line scan pattern, an easy-to-find sweet spot and a scan speed of 1,120 scans per second. The Orbit series features an award-winning design that':s compact, lightweight and rugged. Its shape enables handheld scanning of large, bulky items. And for added flexibility, the scanning head can be tilted within a 30 degree range to accommodate objects of various sizes and shapes. The scanner':s expanded ability to update its firmware via Honeywell':s free patented MetroSet™:2 configuration software safeguards long-term infrastructure commitments in the event of a change in the POS system or software.

Specifications

FEATURES

Features

• Adjustable Scan Head

- Automatic Scanning Operation
- Built-In RF EAS Antenna
- Sweet Spot Scanning

DIMENSIONS

Overall Dimensions

- 10.5 x 10.2 x 15 cm
- 4.1 x 4 x 5.9 in

SCANNING SPECIFICATIONS

Skew

• 60

Scanning Range

• Standard range (SR)

Pitch

• 60

Maximum Brightness

• 4,842

Print Contrast

• 35

Decode Capability

• 1D

Scan Pattern

• Omni-Directional

HARDWARE

Host System Interface

- KBW
- RS-232
- RS485
- USB

Engine Type

• 1D Laser

ENVIRONMENTAL

Storage Temperature Range

- -40 140 °F
- - 40 60 °C

Operating Humidity

• 5 - 95 %

OTHERS

Form Factor

• Counter Top

Operating Temperature

- 0 40 °C
- 32 104 °F

Standby Current

• 170 mA

Warranty Duration

• 3 yr

Input Voltage

• 5 V DC

Power Connector Type

Corded

Product Number

SKUs

SKU DESCRIPTION

7120-38-3 7120 Scanner USB Cable

7120-41 7120 Scanner RS-232

7120 Scanner RS-232, Gray 7120-41-3

7120-62-3 7120 Scanner Gray, Verifone Cable

MK7120-31A38-068 7120 Scanner Black, USB Cable

MK7120-31B47 7120 Scanner Black, Mounting Plate, KBW Cable

MK7120-31B47-6 7120 Scanner Black, Mounting Plate, KBW Cable

MK7120-41-GIL7 7120 Scanner Gilbarco Custom

MK7120-41-GIL7-6 7120 Scanner Gilbarco Custom

RS232 Kit: light gray scanner (MS7120-41), mounting

plate (45-45619), 2.9m (9.5 ´) straight RS232 cable (59-MK7120-71B41

59000-3), US power supply (46-00525) and

documentation

Honeywell

Safety and Productivity Solutions 855 S Mint St Charlotte, NC 28202 800-582-4263

Orbit 7120 Hands-Free Scanner

© 2023 Honeywell International Inc. All rights reserved.



This document was generated on 2023-07-18 5:21:26 PM (YYYY-MM-DD, HH:mm:ss). Subject to change without notice.